

**K001373 LIQUICHEK IMMUNOASSAY PLUS CONTROL, MODEL  
360, 361, 362, 363**May 25, 2000  
24 days to decisionK001373 · Product code: **JJY** · Chemistry  
Source: <https://www.510kdatabase.net/k001373/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)                |
| Submission type       | Traditional                                       |
| Device classification | Multi-analyte Controls, All Kinds (assayed) (JJY) |
| Date received         | May 1, 2000                                       |
| Decision date         | May 25, 2000                                      |
| Days to decision      | 24 days   |
| Third-party review    | No  |
| Summary / Statement   | Summary   |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Bio-Rad</b>  |
| Location       | Mchenry, IL, US   |
| Contact        | ELIZABETH PLATT   |
| Website        | <a href="http://www.bio-rad.com">http://www.bio-rad.com</a> |
| 510(k) history | 319 submissions · 319 cleared · 1976-2017                   |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k001373/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026