

**K001484 CALIBRATION SOLUTION 1, MODEL A943-837**Jun 19, 2000  
39 days to decisionK001484 · Product code: **JIX** · Chemistry  
Source: <https://www.510kdatabase.net/k001484/>**SUBMISSION DETAILS**

---

|                       |                                                                            |
|-----------------------|----------------------------------------------------------------------------|
| Decision              | Substantially Equivalent (Cleared)                                         |
| Submission type       | Traditional                                                                |
| Device classification | Calibrator, Multi-analyte Mixture (JIX)                                    |
| Date received         | May 11, 2000                                                               |
| Decision date         | Jun 19, 2000                                                               |
| Days to decision      | 39 days                                                                    |
| Third-party review    | No                                                                         |
| Summary / Statement   | Summary                                                                    |
| Other names           | CALIBRATION SOLUTION 2, MODEL A943-839; RINSE SOLUTION KIT, MODEL A943-838 |

**APPLICANT**

---

|                |                                         |
|----------------|-----------------------------------------|
| Company        | <b>Alko Diagnostic Corp.</b>            |
| Location       | Mchenry, IL, US                         |
| Contact        | PATRICK CHIU                            |
| 510(k) history | 31 submissions · 31 cleared · 1982-2000 |

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k001484/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated May 14, 2026