

**K002196 LYPHOCHEK FERTILITY CONTROL, MODELS 480,  
481, 482, 483**Aug 7, 2000  
18 days to decisionK002196 · Product code: **JJY** · Chemistry  
Source: <https://www.510kdatabase.net/k002196/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Multi-analyte Controls, All Kinds (assayed) (JJY)
Date received	Jul 20, 2000
Decision date	Aug 7, 2000
Days to decision	18 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Bio-Rad</b>
Location	Mchenry, IL, US
Contact	ELIZABETH PLATT
Website	<a href="http://www.bio-rad.com">http://www.bio-rad.com</a>
510(k) history	319 submissions · 319 cleared · 1976-2017

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k002196/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026