

**K002656 HARDYDISK CEFUROXIME, 30MCG**Oct 25, 2000  
61 days to decisionK002656 · Product code: JTN · Microbiology  
Source: <https://www.510kdatabase.net/k002656/>**SUBMISSION DETAILS**

---

|                       |  |
|-----------------------|--|
| Decision              | Substantially Equivalent (Cleared)             |
| Submission type       | Traditional                                    |
| Device classification | Susceptibility Test Discs, Antimicrobial (JTN) |
| Date received         | Aug 25, 2000                                   |
| Decision date         | Oct 25, 2000                                   |
| Days to decision      | 61 days  |
| Third-party review    | No   |
| Summary / Statement   | Statement                                      |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Hardy Diagnostics</b>                  |
| Location       | Santa Maria, CA, US                       |
| Contact        | MELISSA M TRAYLOR                         |
| 510(k) history | 109 submissions · 109 cleared · 1993-2026 |

Hardy Diagnostics is an American health care company headquartered in Santa Maria, California. The company manufactures bacteriological culture media, reagents, automated microscope slide staining machines, and rapid identification kits for microbiological testing. Hardy Diagnostics has received FDA 510(k) clearances from total submissions since 1993. The company specializes exclusively in Microbiology devices, with its most recent clearance in 2025. Recent cleared devices include antibiotic susceptibility testing disks and viral transport media. The company manufactures ...

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k002656/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 28, 2026