

**K020820 MICROSCAN MICROSTEP PLUS PANEL NEW  
ANTIMICROBIAL - CEFUROXIME**May 9, 2002  
57 days to decisionK020820 · Product code: **JWY** · Microbiology  
Source: <https://www.510kdatabase.net/k020820/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Manual Antimicrobial Susceptibility Test Systems (JWY)
Date received	Mar 13, 2002
Decision date	May 9, 2002
Days to decision	57 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Dade Behring, Inc.</b>
Location	Newark,, DE, US
Contact	CYNTHIA VAN DUKER
510(k) history	343 submissions · 343 cleared · 1978-2010

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k020820/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 19, 2026