

**K021415 LIQUICHEK URINE TOXICOLOGY CONTROL LEVEL  
C2 LOW OPIATE & C3 LOW OPIATE MODELS 468 & 469**May 29, 2002  
26 days to decisionK021415 · Product code: **DIF** · Chemistry  
Source: <https://www.510kdatabase.net/k021415/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Drug Mixture Control Materials (DIF)
Date received	May 3, 2002
Decision date	May 29, 2002
Days to decision	26 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Bio-Rad</b>
Location	Mchenry, IL, US
Contact	ELIZABETH PLATE
Website	<a href="http://www.bio-rad.com">http://www.bio-rad.com</a>
510(k) history	319 submissions · 319 cleared · 1976-2017

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k021415/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026