

**K022976 STRATUS CS D-DIMER (DDMR) METHOD (TESTPAK & DILPAK), MODELS CDDMR & CDDMR-D**Jan 16, 2003  
132 days to decisionK022976 · Product code: **DAP** · Hematology  
Source: <https://www.510kdatabase.net/k022976/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Fibrinogen And Fibrin Split Products, Antigen, Antiserum, Control (DAP)
Date received	Sep 6, 2002
Decision date	Jan 16, 2003
Days to decision	132 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Dade Behring, Inc.</b>
Location	Newark,, DE, US
Contact	RICHARD M VAUGHT
510(k) history	343 submissions · 343 cleared · 1978-2010

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k022976/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 19, 2026