

**K030579 BD PHOENIX AUTOMATED MICROBIOLOGY SYSTEM-  
NALIDIXIC ACID - 2-32 UG/ML**Mar 21, 2003  
25 days to decisionK030579 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k030579/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Feb 24, 2003
Decision date	Mar 21, 2003
Days to decision	25 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Becton, Dickinson &amp; CO</b>
Location	Franklin Lakes, NJ, US
Contact	KATHRYN BABKA POWERS
510(k) history	190 submissions · 190 cleared · 2001-2016

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k030579/>; Data sourced from FDA 510(k) public records (accessdata.fda.gov).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated May 24, 2026