

**K031589 BD PHOENIX AUTOMATED MICROBIOLOGY SYSTEM-  
NITROFURANTOIN GRAM POSITIVE**Jul 11, 2003  
51 days to decisionK031589 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k031589/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	May 21, 2003
Decision date	Jul 11, 2003
Days to decision	51 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Becton, Dickinson &amp; CO</b>
Location	Franklin Lakes, NJ, US
Contact	MICHELLE B BANDY
510(k) history	190 submissions · 190 cleared · 2001-2016

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k031589/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 24, 2026