

**K032131 BD AUTOMATED MICROBIOLOGY SYSTEM
TETRACYCLINE - GP 0.5-16 UG/ML-GRAM POSITIVE ID/AST OR
AST ONLY PHOENIX PANELS**Aug 18, 2003
38 days to decisionK032131 · Product code: **LON** · Microbiology
Source: <https://www.510kdatabase.net/k032131/>**SUBMISSION DETAILS**

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Jul 11, 2003
Decision date	Aug 18, 2003
Days to decision	38 days
Third-party review	No
Summary / Statement	Summary

APPLICANT

Company	Becton, Dickinson & CO
Location	Franklin Lakes, NJ, US
Contact	MONICA E GIGUERE
510(k) history	190 submissions · 190 cleared · 2001-2016

510k Database - www.510kdatabase.netDevice record: <https://www.510kdatabase.net/k032131/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated May 24, 2026