

**K032275 BD PHOENIX AUTOMATED MICROBIOLOGY SYSTEM-  
IMIPENEM 1-16 UG/ML GRAM-NEGATIVE ID/AST OR AST ONLY  
PHOENIX PANELS**

Sep 29, 2003  
68 days to decision

K032275 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k032275/>

**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Jul 23, 2003
Decision date	Sep 29, 2003
Days to decision	68 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Becton, Dickinson &amp; CO</b>
Location	Franklin Lakes, NJ, US
Contact	MICHELLE B BANDY
510(k) history	190 submissions · 190 cleared · 2001-2016

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)

Device record: <https://www.510kdatabase.net/k032275/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 24, 2026