

**K032399 VITEK 2 GRAM POSITIVE MOXIFLOXACIN**Sep 10, 2003  
37 days to decisionK032399 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k032399/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)  |
| Submission type       | Traditional   |
| Device classification | System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON) |
| Date received         | Aug 4, 2003   |
| Decision date         | Sep 10, 2003  |
| Days to decision      | 37 days   |
| Third-party review    | No  |
| Combination product   | No  |
| PCCP authorized       | No  |
| Summary / Statement   | Summary   |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>bioMerieux, Inc.</b>                   |
| Location       | Mchenry, IL, US                           |
| Contact        | Nancy Weaver                              |
| 510(k) history | 251 submissions · 250 cleared · 1983-2026 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k032399/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated June 28, 2026