

**K053186 VITEK 2 GRAM POSITIVE TELITHROMYCIN FOR  
STREPTOCOCCUS PNEUMONIAE**Dec 1, 2005  
17 days to decisionK053186 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k053186/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Nov 14, 2005
Decision date	Dec 1, 2005
Days to decision	17 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>bioMerieux, Inc.</b>
Location	Mchenry, IL, US
Contact	Nancy Weaver
510(k) history	251 submissions · 250 cleared · 1983-2026

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k053186/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 28, 2026