

**K060088 MICROSCAN SYNERGIES PLUS GRAM POSITIVE  
MIC/COMBO PANELS - AMPICILLIN**Feb 3, 2006  
22 days to decisionK060088 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k060088/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)  |
| Submission type       | Traditional   |
| Device classification | System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON) |
| Date received         | Jan 12, 2006  |
| Decision date         | Feb 3, 2006   |
| Days to decision      | 22 days   |
| Third-party review    | No  |
| Combination product   | No  |
| PCCP authorized       | No  |
| Summary / Statement   | Summary   |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Dade Behring, Inc.</b>                 |
| Location       | Newark,, DE, US                           |
| Contact        | ROBERT C EUSEBIO                          |
| 510(k) history | 343 submissions · 343 cleared · 1978-2010 |

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k060088/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 19, 2026