

**K061327 BD PHOENIX AUTOMATED MICROBIOLOGY SYSTEM-
AMOXICILLIN-CLAVULANATE (GN) 0.5/0.25-32/16 UG/ML,
AMPICILLIN-SULBACTAM (GN) 0.**Jul 3, 2006
52 days to decisionK061327 · Product code: **LON** · Microbiology
Source: <https://www.510kdatabase.net/k061327/>**SUBMISSION DETAILS**

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	May 12, 2006
Decision date	Jul 3, 2006
Days to decision	52 days
Third-party review	No
Summary / Statement	Summary

APPLICANT

Company	Becton, Dickinson & CO
Location	Franklin Lakes, NJ, US
Contact	VICKI L KENNEDY
510(k) history	190 submissions · 190 cleared · 2001-2016

510k Database - www.510kdatabase.netDevice record: <https://www.510kdatabase.net/k061327/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated May 24, 2026