

**K061673 BD PHOENIX AUTOMATED MICROBIOLOGY SYSTEM-AMOXICILLIN-CLAVULANATE(GP) 0.25/0.12 -32/16 UG/ML**Jul 28, 2006  
44 days to decisionK061673 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k061673/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Jun 14, 2006
Decision date	Jul 28, 2006
Days to decision	44 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Becton, Dickinson &amp; CO</b>
Location	Franklin Lakes, NJ, US
Contact	VICKI L KENNEDY
510(k) history	190 submissions · 190 cleared · 2001-2016

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k061673/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 24, 2026