

**K062687 BD PHOENIX AUTOMATED MICROBIOLOGY SYSTEM -  
TICARCILLIN-CLAVULANATE (GN) 1/2 - 128/2UG/ML**Oct 24, 2006  
46 days to decisionK062687 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k062687/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Sep 8, 2006
Decision date	Oct 24, 2006
Days to decision	46 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Becton, Dickinson &amp; CO</b>
Location	Franklin Lakes, NJ, US
Contact	JANINE MATLAK
510(k) history	190 submissions · 190 cleared · 2001-2016

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k062687/>; Data sourced from FDA 510(k) public records (accessdata.fda.gov).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated May 24, 2026