

**K063366 MICROSCAN SYNERGIES PLUS GRAM-POSITIVE
MIC/COMBO PANEL WITH SYNERCID (0.12-2UG/ML 5DILUTION
BREAKPOINT SEQUENCE**

Dec 8, 2006
31 days to decision

K063366 · Product code: **LON** · Microbiology
Source: <https://www.510kdatabase.net/k063366/>

SUBMISSION DETAILS

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Nov 7, 2006
Decision date	Dec 8, 2006
Days to decision	31 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

APPLICANT

Company	Dade Behring, Inc.
Location	Newark,, DE, US
Contact	ROBERT EUSEBIO
510(k) history	343 submissions · 343 cleared · 1978-2010

510k Database - www.510kdatabase.net

Device record: <https://www.510kdatabase.net/k063366/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated June 19, 2026