

**K063564 MICROSCAN SYNERGIES PLUS GRAM-POSITIVE  
MIC/COMBO PANELS WITH CHLORAMPHENICOL (4-16 UG/ML)**Feb 8, 2007  
72 days to decisionK063564 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k063564/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Nov 28, 2006
Decision date	Feb 8, 2007
Days to decision	72 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Dade Behring, Inc.</b>
Location	Newark,, DE, US
Contact	ROBERT EUSEBIO
510(k) history	343 submissions · 343 cleared · 1978-2010

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k063564/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated June 19, 2026