

**K070017 PTS PANELS METABOLIC CHEMISTRY PANEL TEST STRIPS**Jan 31, 2007  
28 days to decisionK070017 · Product code: **NBW** · Chemistry  
Source: <https://www.510kdatabase.net/k070017/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Special
Device classification	System, Test, Blood Glucose, Over The Counter (NBW)
Date received	Jan 3, 2007
Decision date	Jan 31, 2007
Days to decision	28 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Polymer Technology Systems, Inc.</b>
Location	Indianapolis, IN, US
Contact	MARGO ENRIGHT
510(k) history	27 submissions · 27 cleared · 1998-2016

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k070017/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 2, 2026