

**K070860 MICROSCAN SYNERGIES PLUS GRAM-POSITIVE  
MIC/COMBO PANELS WITH CLINDAMYCIN**May 11, 2007  
44 days to decisionK070860 · Product code: **LON** · Microbiology  
Source: <https://www.510kdatabase.net/k070860/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Mar 28, 2007
Decision date	May 11, 2007
Days to decision	44 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Dade Behring, Inc.</b>
Location	Newark,, DE, US
Contact	ROBERT EUSEBIO
510(k) history	343 submissions · 343 cleared · 1978-2010

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k070860/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 19, 2026