

**K072142 S40 CLINICAL ANALYZER, S TEST ALP, S TEST AMYLASE, S TEST AST**Jun 26, 2008  
329 days to decisionK072142 · Product code: **CKF** · Chemistry  
Source: <https://www.510kdatabase.net/k072142/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Phenylphosphate, Alkaline Phosphatase Or Isoenzymes (CKF)
Date received	Aug 2, 2007
Decision date	Jun 26, 2008
Days to decision	329 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Alfa Wassermann Diagnostic Technologies, Inc.</b>
Location	West Caldwell, NJ, US
Contact	DAVID SLAVIN
510(k) history	21 submissions · 21 cleared · 2008-2013

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k072142/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 8, 2026