

**K102342 KEYPATH(TM) MRSA/MSSA BLOOD CULTURE TEST-BT**May 5, 2011  
260 days to decisionK102342 · Product code: **OUS** · Microbiology  
Source: <https://www.510kdatabase.net/k102342/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Methicillin Resistant Staphylococcus Aureus/methicillin Susceptible Staphylococcus Aureus Blood Culture Test Bt (OUS)
Date received	Aug 18, 2010
Decision date	May 5, 2011
Days to decision	260 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Microphage, Inc.</b>
Location	Longmont, CO, US
Contact	DREW SMITH
510(k) history	2 submissions · 2 cleared · 2011-2012

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k102342/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 15, 2026