

**K122062 APTIMA TRICHOMONAS VAGINALIS ASSAY -  
PANTHER**Jan 9, 2013  
180 days to decisionK122062 · Product code: **OUY** · Microbiology  
Source: <https://www.510kdatabase.net/k122062/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Trichomonas Vaginalis Nucleic Acid Amplification Test System (OUY)
Date received	Jul 13, 2012
Decision date	Jan 9, 2013
Days to decision	180 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Gen-Probe, Inc.</b>
Location	San Diego, CA, US
Contact	MARIA CARMELITA S BALUYOT
Website	<a href="http://www.gen-probe.com">http://www.gen-probe.com</a>
510(k) history	62 submissions · 62 cleared · 1985-2013

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k122062/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 25, 2026