

**K142723 ADVIA Centaur Cortisol (COR) Assy**Mar 31, 2015  
189 days to decisionK142723 · Product code: **JFT** · Chemistry  
Source: <https://www.510kdatabase.net/k142723/>**SUBMISSION DETAILS**

---

|                       |                                    |
|-----------------------|------------------------------------|
| Decision              | Substantially Equivalent (Cleared) |
| Submission type       | Traditional                        |
| Device classification | Fluorometric, Cortisol (JFT)       |
| Date received         | Sep 23, 2014                       |
| Decision date         | Mar 31, 2015                       |
| Days to decision      | 189 days                           |
| Third-party review    | No                                 |
| Summary / Statement   | Summary                            |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Siemens Healthcare Diagnostics, Inc.</b>   |
| Location       | New York, NY, US  |
| Contact        | Fatima Pacheco  |
| Website        | <a href="https://www.siemens-healthineers.com">https://www.siemens-healthineers.com</a> |
| 510(k) history | 152 submissions · 151 cleared · 2008-2026   |

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k142723/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026