

**K153474 Detectabuse Liquid Control Urine, Detectabuse Stat-Skreen Liquid Control Urine, Detectabuse Liquid Control Urine, AU/NZ, Detectabuse Liquid Control Urine, Immunoassay Series, Detectabuse Liquid Control Urine, GC/MS and Confirm series**Feb 23, 2016  
83 days to decisionK153474 · Product code: DIF · Toxicology  
Source: <https://www.510kdatabase.net/k153474/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Drug Mixture Control Materials (DIF)
Date received	Dec 2, 2015
Decision date	Feb 23, 2016
Days to decision	83 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Biochemical Diagnostics, Inc.</b>
Location	Edgewood, NY, US
Contact	ALLEN PANETZ
510(k) history	2 submissions · 2 cleared · 2013-2016

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k153474/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 3, 2026