

**K171061 MRSASelect II**Dec 28, 2017  
262 days to decisionK171061 · Product code: **JSO** · Microbiology  
Source: <https://www.510kdatabase.net/k171061/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Culture Media, Antimicrobial Susceptibility Test, Excluding Mueller Hinton Agar (JSO)
Date received	Apr 10, 2017
Decision date	Dec 28, 2017
Days to decision	262 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Bio-Rad</b>
Location	Mchenry, IL, US
Contact	Sylvie Fernez
Website	<a href="http://www.bio-rad.com">http://www.bio-rad.com</a>
510(k) history	319 submissions · 319 cleared · 1976-2017

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k171061/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026