

K190914 MTS Doxycycline 0.016 - 256 µg/mLMay 29, 2019
51 days to decisionK190914 · Product code: **JWY** · Microbiology
Source: <https://www.510kdatabase.net/k190914/>**SUBMISSION DETAILS**

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Manual Antimicrobial Susceptibility Test Systems (JWY)
Date received	Apr 8, 2019
Decision date	May 29, 2019
Days to decision	51 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Statement

APPLICANT

Company	Liofilchem S. R. L.
Location	Abruzzi, IT
Contact	Fabio Brocco
510(k) history	35 submissions · 35 cleared · 2016-2026

REGULATORY CONSULTANT

Consulting firm	Laboratory Specialists, Inc.
Contact	Anne R Windau

Regulatory consulting firm that managed this 510(k) submission on behalf of the applicant. Source: [FDA accessdata.fda.gov](https://accessdata.fda.gov)

510k Database - www.510kdatabase.netDevice record: <https://www.510kdatabase.net/k190914/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated July 6, 2026