

**K200180 MTS Omadacycline 0.002 - 32 ug/mL**Mar 20, 2020  
56 days to decisionK200180 · Product code: **JWY** · Microbiology  
Source: <https://www.510kdatabase.net/k200180/>**SUBMISSION DETAILS**

---

|                       |  |
|-----------------------|--|
| Decision              | Substantially Equivalent (Cleared)                     |
| Submission type       | Traditional  |
| Device classification | Manual Antimicrobial Susceptibility Test Systems (JWY) |
| Date received         | Jan 24, 2020   |
| Decision date         | Mar 20, 2020   |
| Days to decision      | 56 days  |
| Third-party review    | No   |
| Summary / Statement   | Statement  |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Liofilchem S. R. L.</b>              |
| Location       | Abruzzi, IT                             |
| Contact        | Fabio Brocco                            |
| 510(k) history | 35 submissions · 35 cleared · 2016-2026 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k200180/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026