

**K213899 VITEK 2 AST-Yeast Caspofungin (<=0.125 - >=8 µg/mL), VITEK 2 AST-YS Caspofungin (<=0.125 - >=8 µg/mL), VITEK 2 AST-YS Caspofungin**Jul 12, 2022  
210 days to decisionK213899 · Product code: LON · Microbiology  
Source: <https://www.510kdatabase.net/k213899/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	System, Test, Automated, Antimicrobial Susceptibility, Short Incubation (LON)
Date received	Dec 14, 2021
Decision date	Jul 12, 2022
Days to decision	210 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>bioMerieux, Inc.</b>
Location	Mchenry, IL, US
Contact	Esther Hernandez
510(k) history	251 submissions · 250 cleared · 1983-2026

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k213899/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 13, 2026