

**K233242 Atellica® CH High Sensitivity C-Reactive Protein 2 (hCRP2)**Jan 18, 2024  
112 days to decisionK233242 · Product code: **NQD** · Chemistry  
Source: <https://www.510kdatabase.net/k233242/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Cardiac C-reactive Protein, Antigen, Antiserum, And Control (NQD)
Date received	Sep 28, 2023
Decision date	Jan 18, 2024
Days to decision	112 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Siemens Healthcare Diagnostics, Inc.</b>
Location	New York, NY, US
Contact	Anthony Calabro
Website	<a href="https://www.siemens-healthineers.com">https://www.siemens-healthineers.com</a>
510(k) history	152 submissions · 151 cleared · 2008-2026

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k233242/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 13, 2026