

**K760354 TEST, SLIDE FOR C-REACTIVE PROTEIN**Aug 11, 1976  
9 days to decisionK760354 · Product code: **DCK** · Immunology  
Source: <https://www.510kdatabase.net/k760354/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)                        |
| Submission type       | Traditional   |
| Device classification | C-reactive Protein, Antigen, Antiserum, And Control (DCK) |
| Date received         | Aug 2, 1976   |
| Decision date         | Aug 11, 1976  |
| Days to decision      | 9 days  |
| Third-party review    | No  |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Icl Scientific</b>                   |
| Location       | Mchenry, IL, US                         |
| 510(k) history | 48 submissions · 48 cleared · 1976-1988 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k760354/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 29, 2026