

**K840222 CORNING IMMO PHASE FREE T3**May 7, 1984  
109 days to decisionK840222 · Product code: **CDP** · Chemistry  
Source: <https://www.510kdatabase.net/k840222/>**SUBMISSION DETAILS**

---

|                       |  |
|-----------------------|--|
| Decision              | Substantially Equivalent (Cleared)             |
| Submission type       | Traditional                                    |
| Device classification | Radioimmunoassay, Total Triiodothyronine (CDP) |
| Date received         | Jan 19, 1984                                   |
| Decision date         | May 7, 1984                                    |
| Days to decision      | 109 days                                       |
| Third-party review    | No   |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Corning Medical &amp; Scientific</b>                       |
| Location       | Mchenry, IL, US   |
| Website        | <a href="https://www.corning.com">https://www.corning.com</a> |
| 510(k) history | 111 submissions · 111 cleared · 1976-1988                     |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k840222/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026