

**K844381 COLISTIN 10 MCG. DIFFERENTIAL DISK**Jan 4, 1985  
52 days to decisionK844381 · Product code: **JTO** · Microbiology  
Source: <https://www.510kdatabase.net/k844381/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)                              |
| Submission type       | Traditional   |
| Device classification | Discs, Strips And Reagents, Microorganism Differentiation (JTO) |
| Date received         | Nov 13, 1984  |
| Decision date         | Jan 4, 1985   |
| Days to decision      | 52 days   |
| Third-party review    | No  |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Anaerobe Systems</b>                 |
| Location       | Mchenry, IL, US                         |
| Contact        | MARION E COX                            |
| 510(k) history | 52 submissions · 52 cleared · 1978-1985 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k844381/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated July 1, 2026