

**K872583 CEDIA DIGOXIN CR ASSAY**Aug 28, 1987  
59 days to decisionK872583 · Product code: **KXT** · Chemistry  
Source: <https://www.510kdatabase.net/k872583/>**SUBMISSION DETAILS**

---

|                       |                                    |
|-----------------------|------------------------------------|
| Decision              | Substantially Equivalent (Cleared) |
| Submission type       | Traditional                        |
| Device classification | Enzyme Immunoassay, Digoxin (KXT)  |
| Date received         | Jun 30, 1987                       |
| Decision date         | Aug 28, 1987                       |
| Days to decision      | 59 days                            |
| Third-party review    | No                                 |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Microgenics Corp.</b>                  |
| Location       | Concord, CA, US                           |
| Contact        | STEPHEN B FRIEDMAN                        |
| 510(k) history | 107 submissions · 106 cleared · 1985-2013 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k872583/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026