

**K874266 REVISED LABELING FOR BARBITURATE TEST KIT**Nov 13, 1987  
24 days to decisionK874266 · Product code: **DIS** · Toxicology  
Source: <https://www.510kdatabase.net/k874266/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Enzyme Immunoassay, Barbiturate (DIS)
Date received	Oct 20, 1987
Decision date	Nov 13, 1987
Days to decision	24 days
Third-party review	No
Combination product	No
PCCP authorized	No

**APPLICANT**

---

Company	<b>Roche Diagnostic Systems, Inc.</b>
Location	Mchenry, IL, US
Contact	ADRIENNE CHOMA
510(k) history	296 submissions · 296 cleared · 1983-1999

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)

Device record: <https://www.510kdatabase.net/k874266/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 23, 2026