

**K890196 MICROTRAK CHLAMYDIA EIA**Mar 22, 1989  
63 days to decisionK890196 · Product code: **LJC** · Microbiology  
Source: <https://www.510kdatabase.net/k890196/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)                            |
| Submission type       | Traditional   |
| Device classification | Enzyme Linked Immunoabsorbent Assay, (chlamydiae Group) (LJC) |
| Date received         | Jan 18, 1989  |
| Decision date         | Mar 22, 1989  |
| Days to decision      | 63 days   |
| Third-party review    | No  |
| Combination product   | No  |
| PCCP authorized       | No  |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Syva Co.</b>                           |
| Location       | Mchenry, IL, US                           |
| Contact        | ROGERS, JR.                               |
| 510(k) history | 448 submissions · 447 cleared · 1976-2001 |

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k890196/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 28, 2026