

**K894189 SCEPTOR-NEW ANTIMICROBIAL  
AGENT:TICAR/CLAVU ACID**Oct 10, 1989  
116 days to decisionK894189 · Product code: **JWY** · Microbiology  
Source: <https://www.510kdatabase.net/k894189/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Manual Antimicrobial Susceptibility Test Systems (JWY)
Date received	Jun 16, 1989
Decision date	Oct 10, 1989
Days to decision	116 days
Third-party review	No

**APPLICANT**

---

Company	<b>Bd Becton Dickinson Vacutainer Systems Preanalytic</b>
Location	Washington, DC, US
Contact	J ARNSBERGER
510(k) history	632 submissions · 625 cleared · 1976-2001

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k894189/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 21, 2026