

**K900906 FACTOR II DEFICIENT PLASMA**Mar 6, 1990  
7 days to decisionK900906 · Product code: **GJT** · Hematology  
Source: <https://www.510kdatabase.net/k900906/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Plasma, Coagulation Factor Deficient (GJT)
Date received	Feb 27, 1990
Decision date	Mar 6, 1990
Days to decision	7 days
Third-party review	No

**APPLICANT**

---

Company	<b>Sigma Chemical Co.</b>
Location	Mchenry, IL, US
Contact	DANIEL E LAWSON,PHD
Website	<a href="https://www.sigmaaldrich.com">https://www.sigmaaldrich.com</a>
510(k) history	231 submissions · 231 cleared · 1976-1994

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k900906/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 14, 2026