

**K910346 ANTIMICROBIAL CEFTRIAZONE**Feb 25, 1991  
28 days to decisionK910346 · Product code: **JWY** · Microbiology  
Source: <https://www.510kdatabase.net/k910346/>**SUBMISSION DETAILS**

---

|                       |  |
|-----------------------|--|
| Decision              | Substantially Equivalent (Cleared)                     |
| Submission type       | Traditional  |
| Device classification | Manual Antimicrobial Susceptibility Test Systems (JWY) |
| Date received         | Jan 28, 1991   |
| Decision date         | Feb 25, 1991   |
| Days to decision      | 28 days  |
| Third-party review    | No   |

**APPLICANT**

---

|                |                                       |
|----------------|---------------------------------------|
| Company        | <b>Alamar</b>                         |
| Location       | Sacramento, CA, US                    |
| Contact        | MICHAEL V LANCASTER                   |
| 510(k) history | 7 submissions · 7 cleared · 1991-1991 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k910346/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 30, 2026