

**K911171 ACS THERAPEUTIC DRUG MONIT CONTR, SET II  
LEVEL III**May 1, 1991  
47 days to decisionK911171 · Product code: **JJY** · Toxicology  
Source: <https://www.510kdatabase.net/k911171/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)                |
| Submission type       | Traditional                                       |
| Device classification | Multi-analyte Controls, All Kinds (assayed) (JJY) |
| Date received         | Mar 15, 1991                                      |
| Decision date         | May 1, 1991                                       |
| Days to decision      | 47 days   |
| Third-party review    | No  |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Analytical Control Systems, Inc.</b> |
| Location       | Mchenry, IL, US                         |
| Contact        | PAULINE W BONDERMAN                     |
| 510(k) history | 42 submissions · 42 cleared · 1979-1997 |

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k911171/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 28, 2026