

**K911557 ANTIMICROBIAL SUSCEPT. TEST PANEL  
TICARCILLIN**Apr 22, 1991  
14 days to decisionK911557 · Product code: **JWY** · Microbiology  
Source: <https://www.510kdatabase.net/k911557/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Manual Antimicrobial Susceptibility Test Systems (JWY)
Date received	Apr 8, 1991
Decision date	Apr 22, 1991
Days to decision	14 days
Third-party review	No

**APPLICANT**

---

Company	<b>Alamar Biosciences Laboratory, Inc.</b>
Location	Napa, CA, US
Contact	MICHAEL V LANCASTER
510(k) history	26 submissions · 26 cleared · 1989-1994

---

**510k Database** - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k911557/>. Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 30, 2026