

**K913429 EMIT(R) 2000 PHENYTOIN ASSAY/CALIBRATORS**Aug 26, 1991  
25 days to decisionK913429 · Product code: **DIP** · Toxicology  
Source: <https://www.510kdatabase.net/k913429/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Enzyme Immunoassay, Diphenylhydantoin (DIP)
Date received	Aug 1, 1991
Decision date	Aug 26, 1991
Days to decision	25 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Statement

**APPLICANT**

---

Company	<b>Syva Co.</b>
Location	Mchenry, IL, US
Contact	PAUL L ROGERS
510(k) history	448 submissions · 447 cleared · 1976-2001

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k913429/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 21, 2026