

**K914429 DSL ULTRA-SENSITIVE CALCITONIN RIA (DSL 5200)**Jan 15, 1992  
103 days to decisionK914429 · Product code: **JKR** · Chemistry  
Source: <https://www.510kdatabase.net/k914429/>**SUBMISSION DETAILS**

---

|                       |                                    |
|-----------------------|------------------------------------|
| Decision              | Substantially Equivalent (Cleared) |
| Submission type       | Traditional                        |
| Device classification | Radioimmunoassay, Calcitonin (JKR) |
| Date received         | Oct 4, 1991                        |
| Decision date         | Jan 15, 1992                       |
| Days to decision      | 103 days                           |
| Third-party review    | No                                 |
| Summary / Statement   | Statement                          |

**APPLICANT**

---

|                |  |
|----------------|--|
| Company        | <b>Diagnostic Systems Laboratories, Inc.</b> |
| Location       | Mchenry, IL, US                              |
| Contact        | JOHNNY R WILLIS                              |
| 510(k) history | 94 submissions · 94 cleared · 1981-2006      |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k914429/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 29, 2026