

**K920302 PACE 2 CHLAMYDIA TRACHOMATIS PROBE  
CONFIRM ASSAY**Apr 6, 1994  
806 days to decisionK920302 · Product code: **LSK** · Microbiology  
Source: <https://www.510kdatabase.net/k920302/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Dna-reagents, Chlamydia (LSK)
Date received	Jan 21, 1992
Decision date	Apr 6, 1994
Days to decision	806 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Gen-Probe, Inc.</b>
Location	San Diego, CA, US
Contact	RUBEN CHAIREZ
Website	<a href="http://www.gen-probe.com">http://www.gen-probe.com</a>
510(k) history	62 submissions · 62 cleared · 1985-2013

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k920302/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated May 26, 2026