

**K920503 SYVA MICROTRAK CHLAMYDIA EIA**Sep 25, 1992  
233 days to decisionK920503 · Product code: **LJC** · Microbiology  
Source: <https://www.510kdatabase.net/k920503/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Enzyme Linked Immunoabsorbent Assay, (chlamydiae Group) (LJC)
Date received	Feb 5, 1992
Decision date	Sep 25, 1992
Days to decision	233 days
Third-party review	No
Combination product	No
PCCP authorized	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Syva Co.</b>
Location	Mchenry, IL, US
Contact	ROGERS, JR.
510(k) history	448 submissions · 447 cleared · 1976-2001

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k920503/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 18, 2026