

K922723 TECH SIMPLE ANTISTREPTOLYSIN O ASO SERUM CONTROLSep 18, 1992
105 days to decisionK922723 · Product code: **GTQ** · Microbiology
Source: <https://www.510kdatabase.net/k922723/>**SUBMISSION DETAILS**

| | |
|-----------------------|---|
| Decision | Substantially Equivalent (Cleared) |
| Submission type | Traditional |
| Device classification | Antistreptolysin - Titer/streptolysin O Reagent (GTQ) |
| Date received | Jun 5, 1992 |
| Decision date | Sep 18, 1992 |
| Days to decision | 105 days |
| Third-party review | No |
| Summary / Statement | Summary |

APPLICANT

| | |
|----------------|---------------------------------------|
| Company | Simplicity Diagnostics, Inc. |
| Location | Hatboro, PA, US |
| Contact | JEFFREY FLEISHMAN |
| 510(k) history | 5 submissions · 5 cleared · 1992-1997 |

510k Database - www.510kdatabase.netDevice record: <https://www.510kdatabase.net/k922723/> Data sourced from FDA 510(k) public records (accessdata.fda.gov).

510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at accessdata.fda.gov. - Generated June 29, 2026