

**K924462 STC DIAGNOSTICS AUTO-LYTE(TM) PCP EIA**Nov 2, 1992  
61 days to decisionK924462 · Product code: **LCM** · Toxicology  
Source: <https://www.510kdatabase.net/k924462/>**SUBMISSION DETAILS**

---

|                       |   |
|-----------------------|---|
| Decision              | Substantially Equivalent (Cleared)      |
| Submission type       | Traditional                             |
| Device classification | Enzyme Immunoassay, Phencyclidine (LCM) |
| Date received         | Sep 2, 1992                             |
| Decision date         | Nov 2, 1992                             |
| Days to decision      | 61 days                                 |
| Third-party review    | No                                      |
| Summary / Statement   | Statement                               |

**APPLICANT**

---

|                |   |
|----------------|---|
| Company        | <b>Solarcare Technologies Corp,Inc.</b> |
| Location       | Bethlehem, PA, US                       |
| Contact        | SAM NIEDBALA                            |
| 510(k) history | 28 submissions · 28 cleared · 1991-1996 |

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k924462/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 29, 2026