

**K950469 DOCUMENT SERUM MULTIANALYTE CALIBRATION  
VERIFICATION TEST SET**Apr 11, 1995  
67 days to decisionK950469 · Product code: JJY · Chemistry  
Source: <https://www.510kdatabase.net/k950469/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Multi-analyte Controls, All Kinds (assayed) (JJY)
Date received	Feb 3, 1995
Decision date	Apr 11, 1995
Days to decision	67 days
Third-party review	No
Summary / Statement	Summary

**APPLICANT**

---

Company	<b>Casco Standards</b>
Location	Yarmouth, ME, US
Contact	CHRISTINE V BEACH
510(k) history	38 submissions · 38 cleared · 1984-1998

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k950469/>; Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 29, 2026