

**K954266 STC DIAGNOSTICS AUTO-LYTE CREATININE ASSAY**Oct 13, 1995  
31 days to decisionK954266 · Product code: **CGX** · Chemistry  
Source: <https://www.510kdatabase.net/k954266/>**SUBMISSION DETAILS**

---

Decision	Substantially Equivalent (Cleared)
Submission type	Traditional
Device classification	Alkaline Picrate, Colorimetry, Creatinine (CGX)
Date received	Sep 12, 1995
Decision date	Oct 13, 1995
Days to decision	31 days
Third-party review	No
Summary / Statement	Statement

**APPLICANT**

---

Company	<b>Solarcare Technologies Corp,Inc.</b>
Location	Bethlehem, PA, US
Contact	R. SAM NIEDBALA
510(k) history	28 submissions · 28 cleared · 1991-1996

---

510k Database - [www.510kdatabase.net](http://www.510kdatabase.net)Device record: <https://www.510kdatabase.net/k954266/> Data sourced from FDA 510(k) public records ([accessdata.fda.gov](http://accessdata.fda.gov)).510k Database is an independent platform not affiliated with the U.S. Food and Drug Administration. Always verify at [accessdata.fda.gov](http://accessdata.fda.gov). - Generated June 28, 2026